

CLONEA CLOTRIMAZOLE THRUSH TREATMENT 3 DAY CREAM

Consumer Medicine Information (CMI) summary

The [full CMI](#) on the next page has more details. If you are worried about using this medicine, speak to your doctor or pharmacist.

1. Why am I using Clonea Clotrimazole Thrush Treatment 3 Day Cream?

Clonea Clotrimazole Thrush Treatment 3 Day Cream contains the active ingredients clotrimazole. Clonea Clotrimazole Thrush Treatment 3 Day Cream is indicated for the effective treatment of vaginal candidiasis and relief of associated symptoms such as itching, burning and vaginal discharge.

For more information, see Section [1. Why am I using Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#) in the full CMI.

2. What should I know before I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?

Do not use if you have ever had an allergic reaction to Clonea Clotrimazole Thrush Treatment 3 Day Cream or any of the ingredients listed at the end of the CMI.

Talk to your doctor or pharmacist if you have any other medical conditions, take any other medicines, or are pregnant or plan to become pregnant or are breastfeeding.

For more information, see Section [2. What should I know before I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#) in the full CMI.

3. What if I am taking other medicines?

It is not expected that Clonea Clotrimazole Thrush Treatment 3 Day Cream will interfere with other medicines you might be using; however, you should always ask your practitioner, doctor or pharmacist if you have any concerns about using Clonea Clotrimazole Thrush Treatment 3 Day Cream together with other medicines.

See Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How do I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?

- Your treatment pack contains a tube of cream containing 20 g of clotrimazole cream and three single use applicators. 5 grams (1 applicator-full) of cream should be inserted in the vagina daily for three consecutive days.
- This medicine is best used at bedtime unless your doctor tells you otherwise.

More instructions can be found in Section [4. How do I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#) in the full CMI.

5. What should I know while using Clonea Clotrimazole Thrush Treatment 3 Day Cream?

Looking after your medicine	<ul style="list-style-type: none">• Store it in a cool dry place below 25°C and away from moisture, heat or sunlight.
------------------------------------	---

For more information, see Section [5. What should I know while using Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#) in the full CMI.

6. Are there any side effects?

If you have problems with the following side effects while using this medicine, talk with your pharmacist or doctor: Vaginal itching or burning, Increased vaginal discharge.

For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.

CLONEA CLOTRIMAZOLE THRUSH TREATMENT 3 DAY CREAM

Active ingredient(s): *clotrimazole*

Consumer Medicine Information (CMI)

This leaflet provides important information about using Clonea Clotrimazole Thrush Treatment 3 Day Cream. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using Clonea Clotrimazole Thrush Treatment 3 Day Cream.**

Where to find information in this leaflet:

- [1. Why am I using Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#)
- [2. What should I know before I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#)
- [3. What if I am taking other medicines?](#)
- [4. How do I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#)
- [5. What should I know while using Clonea Clotrimazole Thrush Treatment 3 Day Cream?](#)
- [6. Are there any side effects?](#)
- [7. Product details](#)

1. Why am I using Clonea Clotrimazole Thrush Treatment 3 Day Cream?

Clonea Clotrimazole Thrush Treatment 3 Day Cream belongs to a class of drugs called antifungals and is used to treat the vaginal yeast infection known as Candida. Candida infections result from an overgrowth of yeast fungus and cause an imbalance of the natural microorganisms that are present in the vagina. Certain illnesses such as diabetes, obesity, and fatigue can increase the likelihood of infection. Additionally hormonal changes during pregnancy, during certain times of the menstrual cycle, or due to the oral contraceptive pill, may also increase the chances of infection. Certain medications such as antibiotics and steroids may cause overgrowth of Candida.

2. What should I know before I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?

Warnings

Do not use Clonea Clotrimazole Thrush Treatment 3 Day Cream if:

- you have ever had an allergic reaction to Clotrimazole or other antifungals or any ingredients listed under the “Ingredients” section below.

Seek medical advice before the first course of treatment. Clonea Clotrimazole Thrush Treatment 3 Day Cream is available from your pharmacist. You may consult with your pharmacist for further information before starting treatment.

See a doctor if you are under 18 years of age, pregnant or suffer from diabetes.

During treatment, you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your doctor or pharmacist if you are pregnant or intend to become pregnant. Your doctor will discuss with you the risks and benefits of using Clonea Clotrimazole Thrush Treatment 3 Day Cream while you are pregnant.

Talk to your doctor or pharmacist if you are breast-feeding or intend to breast-feed. Your doctor will discuss with you the risks and benefits of using Clonea Clotrimazole Thrush Treatment 3 Day Cream while you are breast-feeding.

3. What if I am taking other medicines?

Tell your doctor or pharmacist if you are taking any other medicines, including any medicines, vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop.

Check with your doctor or pharmacist if you are not sure about what medicines, vitamins or supplements you are taking and if these affect Clonea Clotrimazole Thrush Treatment 3 Day Cream.

4. How do I use Clonea Clotrimazole Thrush Treatment 3 Day Cream?

Follow all directions given to you by your doctor and pharmacist carefully.

- They may differ from the information contained on this leaflet.
- Your treatment pack contains a tube of cream containing 20

g of clotrimazole cream and three single use applicators. 5 grams (1 applicator-full) of cream should be inserted in the vagina daily for three consecutive days.

- This medicine is best used at bedtime unless your doctor tells you otherwise.
- Wash your hands before and after using this medicine.
- Wear only clean cotton underwear.

If you do not understand the instructions on the pack, ask your doctor or pharmacist.

How to take Clonea Clotrimazole Thrush Treatment 3 Day Cream

- Remove cap from the tube of cream. Pierce the diaphragm of tube with piercing end of the cap. Screw the open end of the applicator to the tube. Pull the applicator plunger out all the way until it stops. Squeeze the tube of cream until the applicator is full. The applicator will then hold approximately 5 grams of cream. Unscrew the applicator from the tube and replace the cap on the tube.
- Gently insert the applicator (open end first) high into the vagina and push the plunger all the way in. This is best done by lying on the back with the knees bent.
- Discard the used applicator.
- Use this medicine for three consecutive days. It is important that the entire course is completed as advised for the treatment to be effective.
- Treatment should be avoided during menstruation. However if menstruation occurs during treatment the course should be completed.
- The use of condoms and diaphragms for contraception should be avoided during treatment as Clonea Clotrimazole Thrush Treatment 3 Day Cream may reduce the effectiveness of these products.
- Applicators are for single use only and should be discarded after use.
- If you are sexually active your partner may also require treatment. Seek the advice of your doctor or pharmacist.
- It is important to continue treatment and complete the course even if you feel better.

If you forget to use Clonea Clotrimazole Thrush Treatment 3 Day Cream

Use your medicine as soon as you remember that you have missed your dose.

If it is nearly time for your next dose, wait until then to use the medicine and skip the missed dose.

Do not double up on doses at any time to make up for missed doses.

It is important to complete the course of treatment as incomplete courses may result in your symptoms returning.

While you are using Clonea Clotrimazole Thrush Treatment 3 Day Cream

Warnings

If you are pregnant, talk to your doctor before using this medicine.

Avoid using tampons while using clotrimazole.

Avoid using douches or other vaginal products unless your doctor advises you to do so.

If you stop using this medicine too soon, your infection may return.

See a doctor if no improvement occurs after 3 days of treatment or if the problem returns.

If you use too much Clonea Clotrimazole Thrush Treatment 3 Day Cream

If you think that you have used too much Clonea Clotrimazole Thrush Treatment 3 Day Cream, or you have swallowed Clonea Clotrimazole Thrush Treatment 3 Day Cream, you may need urgent medical attention.

You should immediately:

- phone the Poisons Information Centre (**by calling 13 11 26**) (Australia).
- go to the Emergency Department at your nearest hospital.

You should do this even if there are no signs of discomfort or poisoning.

5. What should I know while using Clonea Clotrimazole Thrush Treatment 3 Day Cream?

Looking after your medicine

Follow the instructions in the carton on how to take care of your medicine properly.

Keep Clonea Clotrimazole Thrush Treatment 3 Day Cream where children cannot reach it. A locked cupboard at least one-and-a-half metres above the ground is a good place to store medicines.

Store it in a cool dry place below 25 °C and away from moisture, heat or sunlight; for example, do not store it:

- in the bathroom or near a sink, or
- in the car or on window sills.

Keep it where young children cannot reach it.

Getting rid of any unwanted medicine

If your doctor or pharmacist tells you to stop using Clonea Clotrimazole Thrush Treatment 3 Day Cream, or your medicine has passed its expiry date, ask your pharmacist what to do.

Check the expiry date marked on the end panel of the carton and on the crimp at the end of the tube, which refers to the

month and year of the expiration, e.g. 11 96 refers to the eleventh month of 1996. Do not use after the expiry date.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention.

See the information below and, if you need to, ask your doctor or pharmacist if you have any further questions.

Side effects	What to do
<ul style="list-style-type: none"> Vaginal itching or burning. Increased vaginal discharge. 	<p>If you have problems with the following side effects while using this medicine, talk with your pharmacist or doctor</p>

Tell your doctor or pharmacist if you notice anything else that may be making you feel unwell.

Other side effects not listed here may occur in some people.

Reporting side effects

After you have received medical advice for any side effects you experience, you can report side effects to the Therapeutic Goods Administration (Australia) online at www.tga.gov.au/reporting-problems. By reporting side effects, you can help provide more information on the safety of this medicine.

Always make sure you speak to your doctor or pharmacist before you decide to stop taking any of your medicines.

7. Product details

This medicine is available over-the-counter without a doctor's prescription.

What Clonea Clotrimazole Thrush Treatment 3 day Cream contains

Active ingredients (main ingredients)	Clotrimazole
Other ingredients (inactive)	<ul style="list-style-type: none"> Propylene glycol Cetomacrogol 1000 Cetostearyl alcohol Liquid paraffin Dimeticone 100 White soft paraffin Self-emulsifying glyceryl monostearate Benzyl alcohol Disodium edetate Purified water <p>This cream contains benzyl alcohol 1% w/w (as a</p>

	preservative).
--	----------------

Do not take this medicine if you are allergic to any of these ingredients.

What Clonea Clotrimazole Thrush Treatment 3 Day Cream looks like

Clonea Clotrimazole Thrush Treatment 3 Day Cream is a white opaque cream in a 20g tube with three single use disposable applicators.

Sponsor

Cipla Australia Pty Ltd
Level1/132-136 Albert Road,
SOUTH MELBOURNE VIC 3205
drugsafety@cipla.com
Phone no: 1800 569 074

Who distributes Clonea Clotrimazole Thrush Treatment 3 Day Cream

Arrotex Pharmaceuticals
15-17 Chapel St, Cremorne VIC 3121
Australian registration number:
AUST R 230936

This leaflet was prepared in April 2025.

