

National Inpatient Medication Chart Audit Tool

National Medication Chart Prescribing Audit

State	Healthcare Facility Code	Hospital Name	UR No.	<input type="radio"/> Male <input type="radio"/> Female Gender
Ward	Bed No.	Audit Date	Date of Birth	Reviewer 1
				Reviewer 2

Chart Type NIMC NIMC Long Stay NIMC Paediatric NIMC Paediatric Long Stay

1. Patient Identification & Weight

- 1.1 Total current *Medication Charts* (ie. charts in use) _____
- 1.2 *Patient ID* complete on **all** pages (incl. hand-printed name if label used) _____ **Y** **N**
- 1.3 *Weight* documented on a *Medication Chart* (*Paeds* must be **all** charts) _____ **Y** **N**

2. Adverse Drug Reaction (ADR) Details

- 2.1 *ADR* documentation complete on **all** charts (incl. *NKDA / Unknown*) _____ **Y** **N**
- 2.2 Patient has previous *ADR* _____ **Y** **N** **Unk**
(If No or Unknown, go to Q. 3.1)
- 2.3 Similar class of medication prescribed _____ **Y** **N**
(Document Drug, Reaction & Represcribed Drug here)

- 2.4 If previous *ADR*, do **all** pages have *ADR Alert Stickers* in place _____ **Y** **N**

3. Medication History

- 3.1 *Medication History* documented on *Medication Chart* (If Yes, go to Q. 3.3) _____ **Y** **N**
- 3.2 If 'No' is a *Medication History* cross-referenced on *Medication Chart* _____ **Y** **N**
- 3.3 *Medication Management Plan (MMP) Form* in 'end of bed' folder _____ **Y** **N**
(If No, go to Q. 4.1)
- 3.4 *Allergies / ADR* box completed on *MMP Form* _____ **Y** **N**

- 3.5 No. medicines taken prior to presentation to hospital recorded on *MMP Form* _____
- 3.6 No. medicines with *Dr's Plan on Admission* completed on *MMP Form* _____
- 3.7 No. medicines with *Reconcile* column ticked on *MMP Form* _____
- 3.8 More than one source indicated on *MMP Form* _____ **Y** **N**

4. Variable Dose

- 4.1 No. *Variable Dose* medications (*Variable Dose & Regular Order* sections) _____
(If documented in *Regular* section, write *Drug Name & Frequency* here)

5. Venous Thromboembolism (VTE) Prophylaxis

- 5.1 *VTE Risk Assessment* documented on **any** current medication _____ **Y** **N** **NA**
(If NA, go to Q. 6.1)
- 5.2 VTE Prophylaxis prescribed (*VTE & Regular* sections) (If No, go to Q. 6.1) _____ **Y** **N**
- 5.3 VTE Prophylaxis prescribed in *VTE* section _____ **Y** **N**
(If multiple VTE Prophylaxis orders, at least one in *VTE* section)

6. Warfarin

- 6.1 *Warfarin Guidelines* at end of patient's bed or with *Medication Chart* _____ **Y** **N** **NA**
- 6.2 No. times patient prescribed warfarin (*Warfarin & Regular Order* sections) _____
(If Nil / Zero, go to Q. 7.1)
- 6.3 No. *Target INR* ranges documented if prescribed in *Warfarin* section _____
- 6.4 No. *Target INR* ranges documented if prescribed in *Regular* section _____
- 6.5 *Warfarin Education* recorded _____ **Y** **N**

7. Sustained Release

- 7.1 No. *Sustained Release* medications ordered (*Regular Order* section) _____
(If Nil / Zero, go to Q. 8.1)
- 7.2 No. *Sustained Release* medications with *SR* box ticked _____

8. Intermittent Medications

- 8.1 No. *Intermittent* medications ordered (ie. weekly, fortnightly, twice weekly) _____
(If Nil / Zero, go to Q. 9.1)
- 8.2 No. *Intermittent* medications ordered & 'boxed' _____

9. Duplicate Orders

- 9.1 No. Duplicated orders _____
(Record *Duplications* here)

10. Pharmaceutical Review

- 10.1 *Pharmaceutical Review* occurred (ie. initial at bottom of chart) _____ **Y** **N**

Comments: _____

National Inpatient Medication Chart Audit Tool

11. Prescribing and Administration

--	--	--	--	--	--	--	--

Legend	Drug Name:	Route / Dose:	Frequency:	Others:	Definitions: Error Prone Abbreviations	UR No.
Drug Order: R = Regular P = PRN S = Stat/Phone/Once Only V = Variable Dose W = Warfarin	U = Unclear T = Trade C = Clear	C = Clear & Correct M = Missing U = Unclear I = Incorrect	C = Clear M = Missing U = Unclear I = Incorrect NA = Not Applicable	Y = Yes N = No	mcg, µg, ug = microgram U or u = unit qd or QD = every day o.d. or OD = once daily SC, S/C = subcutaneous SL, S/L = sublingual o (degree symbol) = hourly frequency No leading zero before a decimal point (eg .5mg) = 0.5mg Trailing zero after decimal point (eg 1.0mg) = 1mg	_____

Order No.	Drug Order	Drug Name	Route	Dose	Frequency	Dose Calc'n Documented			Dose Calc'n Documented Correctly			Error Prone Abbrev'ns Used		Indication Documented			Pharm. Annot.	Pres. Signed	Pres. Clear	Freq. Matches Admin Time			Drug Ceased	Ceased Correctly			Doses Required	Doses Admin	If PRN, Max Dose doc.			
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA			Y	N	NA

Form not suitable for transmission by facsimile
SCANNABLE FORM: DO NOT BEND OR FOLD THIS PAGE

National Inpatient Medication Chart Audit Tool

11. Prescribing and Administration

--	--	--	--	--	--	--	--

Legend				
Drug Order:	Drug Name:	Route / Dose:	Frequency:	Others:
R = Regular P = PRN S = Stat/Phone/Once Only V = Variable Dose W = Warfarin	U = Unclear T = Trade C = Clear	C = Clear & Correct M = Missing U = Unclear I = Incorrect	C = Clear M = Missing U = Unclear I = Incorrect NA = Not Applicable	Y = Yes N = No

Definitions: Error Prone Abbreviations	
mcg, µg, ug = microgram U or u = unit qd or QD = every day o.d. or OD = once daily	SC, S/C = subcutaneous SL, S/L = sublingual o (degree symbol) = hourly frequency No leading zero before a decimal point (eg .5mg) = 0.5mg Trailing zero after decimal point (eg 1.0mg) = 1mg

UR No.

Order No.	Drug Order	Drug Name	Route	Dose	Frequency	Dose Calc'n Documented	Dose Calc'n Documented Correctly	Error Prone Abbrev'n's Used	Indication Documented	Pharm. Annot.	Pres. Sign	Pres. Clear	Freq. Matches Admin Time	Drug Ceased	Ceased Correctly	Doses Required	Doses Admin	If PRN, Max Dose doc.
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA
						Y N NA	Y N NA	Y N	Y N NA	Y N	Y N	Y N	Y N NA	Y N	Y N NA			Y N NA

Form not suitable for transmission by facsimile
SCANNABLE FORM: DO NOT BEND OR FOLD THIS PAGE

National Inpatient Medication Chart Audit Tool

11. Prescribing and Administration

--	--	--	--	--	--	--	--

Legend	Drug Name:	Route / Dose:	Frequency:	Others:	Definitions: Error Prone Abbreviations	UR No.
Drug Order: R = Regular P = PRN S = Stat/Phone/Once Only V = Variable Dose W = Warfarin	U = Unclear T = Trade C = Clear	C = Clear & Correct M = Missing U = Unclear I = Incorrect	C = Clear M = Missing U = Unclear I = Incorrect NA = Not Applicable	Y = Yes N = No	mcg, µg, ug = microgram U or u = unit qd or QD = every day o.d. or OD = once daily SC, S/C = subcutaneous SL, S/L = sublingual o (degree symbol) = hourly frequency No leading zero before a decimal point (eg .5mg) = 0.5mg Trailing zero after decimal point (eg 1.0mg) = 1mg	

Order No.	Drug Order	Drug Name	Route	Dose	Frequency	Dose Calc'n Documented			Dose Calc'n Documented Correctly			Error Prone Abbrev'ns Used		Indication Documented			Pharm. Annot.	Pres. Signed	Pres. Clear	Freq. Matches Admin Time			Drug Ceased	Ceased Correctly			Doses Required	Doses Admin	If PRN, Max Dose doc.																														
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA	Y	N	NA	Y	N	NA	Y	N	NA	Y	N	NA	Y	N	NA																	
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA												Y	N	NA																		
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA															Y	N	NA															
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																	Y	N	NA													
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																		Y	N	NA												
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																			Y	N	NA											
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																				Y	N	NA										
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																					Y	N	NA									
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																						Y	N	NA								
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																							Y	N	NA							
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																								Y	N	NA						
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																									Y	N	NA					
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																										Y	N	NA				
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																											Y	N	NA			
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																												Y	N	NA		
						Y	N	NA	Y	N	NA	Y	N	Y	N	NA	Y	N	Y	N	NA	Y	N	NA	Y	N	NA																														Y	N	NA