AUSTRALIANCOMMISSIONON SAFETYANDQUALITYINHEALTHCARE

Please note that the following document was created by the former Australian Council for Safety and Quality in Health Care. The former Council ceased its activities on 31 December 2005 and the Australian Commission on Safety and Quality in Health Care assumed responsibility for many of the former Council's documents and initiatives. Therefore contact details for the former Council listed within the attached document are no longer valid.

The Australian Commission on Safety and Quality in Health Care can be contacted through its website at http://www.safetyandquality.gov.au/ or by email mail@safetyandquality.gov.au

Note that the following document is copyright, details of which are provided on the next page.

AUSTRALIANCOMMISSIONON SAFETYANDQUALITYINHEALTHCARE

The Australian Commission on Safety and Quality in Health Care was established in January 2006. It does not print, nor make available printed copies of, former Council publications. It does, however, encourage not for profit reproduction of former Council documents available on its website.

Apart from not for profit reproduction, and any other use as permitted under the Copyright Act 1968, no part of former Council documents may be reproduced by any process without prior written permission from the Commonwealth available from the Attorney General's Department. Requests and inquiries concerning reproduction and rights should be addressed to Commonwealth Copyright Administration, Attorney General's Department, Robert Garran Offices, National Circuit, Barton ACT 2600 or posted at http://www.ag.gov.au/cca

If time is money, following these steps to ensure correct procedures is a sound investment.



Step 1:

Time needed to fill out the consent form: 5 minutes



Step 2:

Time needed to mark the site:

1 minute





Step 3:

Time needed to identify the correct patient:

1 minute

nmediately prior procedure



Step 4:

Time needed for a pre-surgery "team time out": 2 minutes



Step 5:

Time needed to verify imaging data is correct: 3 minutes

Time you didn't spend telling a patient that you fixed something that wasn't broken: invaluable!



