

Bisoprolol generichealth

Consumer Medicine Information (CMI) Summary [optional]

The [full CMI](#) on the next page has more details. If you are worried about using this medicine, speak to your doctor or pharmacist.

Why am I using Bisoprolol generichealth?

Bisoprolol generichealth contains the active ingredient bisoprolol fumarate. Bisoprolol generichealth is used to treat heart failure. For more information, see Section [1. Why am I using Bisoprolol generichealth?](#) in the full CMI.

2. What should I know before I use Bisoprolol generichealth?

Do not take if you have ever had an allergic reaction to bisoprolol fumarate or any of the ingredients listed at the end of the CMI.

Talk to your doctor or pharmacist if you have any other medical conditions, take any other medicines, or are pregnant or plan to become pregnant or are breastfeeding.

For more information, see Section [2. What should I know before I use Bisoprolol generichealth?](#) in the full CMI.

3. What if I am taking other medicines?

Some medicines may interfere with Bisoprolol generichealth and affect how it works. A list of these medicines is in Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How do I use Bisoprolol generichealth?

- Bisoprolol generichealth should be taken in the morning, with or without food.
- Swallow the tablets with a glass of water. Do not crush or chew the tablets.

More instructions can be found in Section [4. How do I use Bisoprolol generichealth?](#) in the full CMI.

5. What should I know while using Bisoprolol generichealth?

Things you should do	<ul style="list-style-type: none">• Remember any doctor, dentist or pharmacist you visit that you are taking Bisoprolol generichealth.• If you are being treated for diabetes, make sure you check your blood sugar level regularly and report any changes to your doctor.• Visit your doctor regularly so they can check on your progress.
Things you should not do	<ul style="list-style-type: none">• Do not stop taking Bisoprolol generichealth, or lower the dose, without checking with your doctor.• Do not take Bisoprolol generichealth to treat any other conditions unless your doctor tells you to.
Driving or using machines	<ul style="list-style-type: none">• Be careful before you drive or use any machines or tools until you know how Bisoprolol generichealth affects you.• Bisoprolol generichealth may cause tiredness, dizziness or lightheadedness in some people, especially after the first dose.
Drinking alcohol	<ul style="list-style-type: none">• Tell your doctor if you drink alcohol. Effects of alcohol should be considered particularly at the start of treatment and upon change of medication.
Looking after your medicine	<ul style="list-style-type: none">• Store below 30°C.• Keep your tablets in a cool dry place.

For more information, see Section [5. What should I know while using Bisoprolol generichealth?](#) in the full CMI.

6. Are there any side effects?

Speak to your doctor or pharmacist if you have any of these: sleep disturbances; nausea, vomiting; diarrhoea, constipation; feeling of coldness or numbness in hands or feet; allergic runny nose; hair loss or sexual problems. **Tell your doctor as soon as possible if you notice any of these:** muscular weakness or cramps; dizziness or light-headedness (sometimes with fainting); a very slow heart beat; hallucinations; depression; irritation or redness of the eye; skin reactions such as rash, flush, itching, worsening of psoriasis; difficulty hearing or fainting. **Call your doctor straight away, or go straight to the Emergency Department at your nearest hospital if you notice any of these:** swelling of the face, lips, tongue, throat which may cause difficulty breathing or swallowing; signs of worsening heart failure; chest tightness, wheezing, rattly breathing; yellowing of the skin or eyes, dark coloured urine, itching, generally feeling unwell or irregular heart beating. This is not a complete list of all possible side effects.

For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.

Bisoprolol generichealth

Active ingredient(s): Bisoprolol fumarate

Consumer Medicine Information (CMI)

This leaflet provides important information about using Bisoprolol generichealth. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using Bisoprolol generichealth.**

Where to find information in this leaflet:

- [1. Why am I using Bisoprolol generichealth?](#)
- [2. What should I know before I use Bisoprolol generichealth?](#)
- [3. What if I am taking other medicines?](#)
- [4. How do I use Bisoprolol generichealth?](#)
- [5. What should I know while using Bisoprolol generichealth?](#)
- [6. Are there any side effects?](#)
- [7. Product details](#)

1. Why am I using Bisoprolol generichealth?

Bisoprolol generichealth contains the active ingredient bisoprolol fumarate.

Bisoprolol generichealth is used to treat heart failure. It is usually used in combination with other medicines.

Heart failure occurs when the heart muscle is weak and unable to pump enough blood to supply the body's needs. Heart failure may start off with no symptoms, but as the condition progresses patients may feel short of breath and notice swelling of the feet and ankles due to fluid build up.

Bisoprolol generichealth belongs to a group of medicines called beta blockers. These medicines work by affecting the body's response to some nerve impulses, especially in the heart. As a result, it decreases the heart's need for blood and oxygen and therefore reduces the amount of work the heart has to do. Bisoprolol generichealth also slows your heart rate, which in turn increases the efficiency of your heart.

Bisoprolol generichealth can help to reduce the number of heart failure episodes needing hospital admission and also the risk of sudden death.

Your doctor may have prescribed Bisoprolol generichealth for another reason. Ask your doctor if you have any questions about why Bisoprolol generichealth has been prescribed for you.

Bisoprolol generichealth is not recommended for use in children, as the safety and efficacy in children have not been established.

There is no evidence that Bisoprolol generichealth is addictive.

2. What should I know before I use Bisoprolol generichealth?

Warnings

Do not use Bisoprolol generichealth if:

- you are allergic to any medicine containing bisoprolol, or any of the ingredients listed at the end of this leaflet. Some of the symptoms of an allergic reaction may include:
 - skin rash
 - itching or hives
 - swelling of the face, lips or tongue which may cause difficulty in swallowing or breathing
 - wheezing or shortness of breath.Always check the ingredients to make sure you can take this medicine.
- you have any of the following heart problems:
 - severe heart failure that is not controlled medically
 - worsening heart failure requiring injection of medicines into a vein
 - cardiogenic shock, a serious heart condition causing low blood pressure and circulatory failure
 - certain heart conditions where the electrical activity controlling your heart rate does not work properly, causing a very slow heart rate or uneven heart beating
 - low blood pressure.
- you have any of the following medical conditions:
 - severe asthma or severe chronic obstructive lung disease
 - severe blood circulation problems in your limbs (such as Raynaud's syndrome), which may cause your fingers and toes to tingle or turn pale or blue
 - untreated phaeochromocytoma, a rare tumour of the adrenal gland
 - metabolic acidosis, a condition when there is too much acid in the blood.
- the expiry date printed on the pack has passed or if the packaging is torn or shows signs of tampering.

Check with your doctor or pharmacist if you:

- are allergic to any other medicines, foods, dyes or preservatives
- have or have had any of the following medical conditions:
 - asthma, difficulty breathing or other lung problems
 - heart diseases (such as disturbances in heart rhythm or Prinzmetal angina)
 - diabetes
 - any allergic conditions

- psoriasis, a skin disease with thickened patches of red skin, often with silvery scales
- thyroid disorder
- any blood vessel disorder causing poor circulation in the arms and legs
- kidney problems
- liver problems
- phaeochromocytoma, a rare tumour of the adrenal gland.

Your doctor may want to take special care if you have any of these conditions.

- take any medicines for any other condition
- are going to have anaesthesia (for example for surgery). Bisoprolol generichealth may influence how your body reacts to this situation].

During treatment, you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your doctor or pharmacist if you are pregnant or intend to become pregnant.

Bisoprolol generichealth may affect your developing baby if you take it during pregnancy. Your doctor will discuss the risks and benefits of taking Bisoprolol generichealth during pregnancy.

Talk to your doctor or pharmacist if you are breastfeeding or intend to breastfeed.

Like most beta-blocker medicines, Bisoprolol generichealth is not recommended while you are breastfeeding. Your doctor will discuss the risks and benefits of taking Bisoprolol generichealth

If you have not told your doctor about any of the above, tell them before you start taking BICOR.

3. What if I am taking other medicines?

Tell your doctor or pharmacist if you are taking any other medicines, including any medicines, vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop.

Some medicines and Bisoprolol generichealth may interfere with each other.

Do not take the following medicines with Bisoprolol generichealth without special advice from your doctor:

- certain anti-arrhythmic medicines such as disopyramide, lidocaine, phenytoin or flecainide (used to treat irregular or abnormal heartbeat)
- certain calcium antagonists such as diltiazem or verapamil (used to treat high blood pressure and angina)
- certain medicines used to treat high blood pressure such as clonidine, methyldopa or moxonidine.

However, do not stop taking these medicines without checking with your doctor.

Check with your doctor before taking the following medicines with Bisoprolol generichealth.

Your doctor may need to check your condition more frequently.

- anti-arrhythmic medicines such as amiodarone (used to treat irregular or abnormal heartbeat)
- calcium antagonists such as felodipine or amlodipine (used to treat high blood pressure and angina)
- certain medicines used to treat arthritis, pain or inflammation, such as ibuprofen or diclofenac
- eye drops for glaucoma treatment
- insulin and oral drugs for diabetes
- anaesthetic agents used in surgery
- digoxin, a medicine used to treat heart failure
- ergot derivatives, medicines commonly used to treat migraines
- rifampicin, a medicine used to treat tuberculosis
- tricyclic antidepressants
- barbiturates, medicines used to treat epilepsy
- phenothiazines, medicines used to treat some mental conditions
- mefloquine, a medicine used to treat malaria
- adrenaline (epinephrine), a medicine used to treat allergic reactions
- certain medicines used to treat depression called monoamine oxidase inhibitors, such as phenelzine or tranlycypromine.

These medicines may be affected by Bisoprolol generichealth or may affect how well it works. You may need different amounts of your medicines, or you may need to take different medicines.

Your doctor and pharmacist have more information on medicines to be careful with or avoid while taking Bisoprolol generichealth.

Check with your doctor or pharmacist if you are not sure about what medicines, vitamins or supplements you are taking and if these affect Bisoprolol generichealth.

4. How do I take Bisoprolol generichealth?

How much to take

- The usual starting dose is 1.25 mg once daily for a week. If well tolerated, your doctor will gradually increase your dose over the next ten weeks. The usual dose for maintenance therapy is 10 mg once daily. •
- If your conditions get worse or you no longer tolerate the drug, it may be necessary to reduce the dose again or to interrupt treatment. In some patients a maintenance dose lower than 10 mg may be sufficient. Your doctor will tell you what to do. •
- Your doctor will monitor your blood pressure, heart rate and other vital signs carefully after you start treatment with BICOR and during dose increase. •
- Follow the instructions provided and use Bisoprolol generichealth until your doctor tells you to stop.

When to take Bisoprolol generic health

- Bisoprolol generic health should be taken in the morning, with or without food.

How to take Bisoprolol generic health

- Swallow the tablets whole with a glass of water.
- Do not crush or chew the tablets.

If you crush or chew Bisoprolol generic health tablets, they will not work as well.

How long to take it

To properly control your condition, Bisoprolol generic health must be taken every day, usually as a long-term treatment.

Keep taking Bisoprolol generic health for as long as your doctor recommends.

It is very important that you do not stop taking Bisoprolol generic health suddenly.

If you forget to use Bisoprolol generic health

Bisoprolol generic health should be used regularly at the same time each day.

If you miss your dose at the usual time and it is almost time for your next dose, skip the dose you missed and take your next dose when you are meant to.

Otherwise, take the missed dose as soon as you remember, and then go back to taking your tablets as you would normally.

Do not take a double dose to make up for the dose you missed.

If you are not sure what to do, ask your doctor or pharmacist.

If you take too much Bisoprolol generic health

If you think that you have used too much Bisoprolol generic health, you may need urgent medical attention.

You should immediately:

- phone the Poisons Information Centre (**by calling 13 11 26**); or
- contact your doctor; or
- go to the Emergency Department at your nearest hospital.

You should do this even if there are no signs of discomfort or poisoning.

Symptoms of an overdose may include slowed heart rate, difficulty breathing, marked drop in blood pressure, severe heart failure, or a decrease in blood sugar.

5. What should I know while taking Bisoprolol generic health?

Things you should do

- Remind any doctor, dentist or pharmacist you visit that you are taking Bisoprolol generic health.

- Before starting any new medicine, tell your doctor or pharmacist that you are taking Bisoprolol generic health.
- If you plan to have surgery, including dental surgery, tell your doctor or dentist that you are taking Bisoprolol generic health.
- If you are being treated for diabetes, make sure you check your blood sugar level regularly and report any changes to your doctor.

Bisoprolol generic health may change how well your diabetes is controlled. It may also cover up some of the symptoms of low blood sugar, called hypoglycaemia, such as fast heartbeat. Bisoprolol generic health may make hypoglycaemia last longer. Your dose of diabetic medicines, including insulin, may need to change.

- If you are to have any medical tests, tell your doctor that you are taking Bisoprolol generic health. Bisoprolol generic health may affect the results of some tests.
- Visit your doctor regularly so they can check on your progress. Your doctor may check your eyes, thyroid, lipid and blood glucose levels.
- Tell your doctor if, for any reason, you have not taken your medicine exactly as prescribed. Your doctor may think it is not working effectively and change your treatment unnecessarily

Call your doctor straight away if you:

- become pregnant while taking Bisoprolol generic health.

Things you should not do

- Do not stop taking Bisoprolol generic health, or lower the dose, without checking with your doctor.

Stopping Bisoprolol generic health suddenly may cause your condition to worsen or other heart complications may occur. If you have to stop treatment, your doctor will usually advise you to reduce the dose gradually.

- Do not take Bisoprolol generic health to treat any other conditions unless your doctor tells you to.
- Do not give Bisoprolol generic health to anyone else, even if they have the same condition as you. Do not stop using this medicine suddenly.

Driving or using machines

Be careful before you drive or use any machines or tools until you know how Bisoprolol generic health affects you.

Bisoprolol generic health may cause tiredness, dizziness or lightheadedness in some people, especially after the first dose. If any of these occur, do not drive, operate machinery or do anything else that could be dangerous.

Drinking alcohol

Tell your doctor if you drink alcohol.

Effects of alcohol should be considered particularly at the start of treatment and upon change of medication.

Things to be careful of

Be careful getting up from a sitting or lying position.

Dizziness, lightheadedness or fainting may occur, especially when you get up quickly. Getting up slowly may help.

Suggestions to help manage your condition

- Physical activity - regular exercise when symptoms are absent or mild helps improve heart function. Before starting any exercise, ask your doctor for advice.
- Weight reduction - your doctor may suggest losing some weight to help lessen the amount of work your heart has to do.
- Diet - eat a healthy low fat diet which includes plenty of fresh fruit and vegetables, bread, cereals and fish. Also, try to eat less fat and sugar.
- Salt restriction - too much salt can make your heart failure worse. Try to avoid using salt in cooking and at the table.

Looking after your medicine

- Bisoprolol generichealth should be stored below 30°C.
- Keep your tablets in the blister pack until it is time to take them.

If you take the tablets out of the blister pack, they may not keep well.

Follow the instructions on the carton on how to take care of your medicine properly.

Store it in a cool dry place away from moisture, heat or sunlight; for example, do not store it:

- in the bathroom or near a sink; or
- in the car or on window sills.

Keep it where young children cannot reach it.

Getting rid of any unwanted medicine

If you no longer need to use this medicine or it is out of date, take it to any pharmacy for safe disposal.

Do not use this medicine after the expiry date.

6. Are there any side effects?

Tell your doctor or pharmacist as soon as possible if you do not feel well while you are taking Bisoprolol generichealth.

Bisoprolol generichealth helps most people with heart failure, but it may have unwanted side effects in some people.

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention.

Do not be alarmed by this list of possible side effects. You may not experience any of them.

See the information below and, if you need to, ask your doctor or pharmacist if you have any further questions about side effects.

Less serious side effects

Less serious side effects	What to do
<ul style="list-style-type: none">• tiredness, feeling weak• dizziness• headache• sleep disturbances, nightmares• nausea, vomiting• diarrhoea, constipation• feeling of coldness or numbness in hands or feet• allergic runny nose• hair loss• sexual problems	Speak to your doctor if you have any of these less serious side effects and they worry you.

Serious side effects

Serious side effects	What to do
<ul style="list-style-type: none">• muscular weakness or cramps• dizziness or light-headedness (sometimes with fainting), especially on standing up, which may be due to low blood pressure• a very slow heart beat• hallucinations• depression• irritation or redness of the eye• skin reactions such as rash, flush, itching, worsening of psoriasis• difficulty hearing• fainting	Call your doctor straight away, or go straight to the Emergency Department at your nearest hospital if you notice any of these serious side effects.

Very serious side effects

Very serious side effects	What to do
<ul style="list-style-type: none">• swelling of the face, lips, tongue, throat which may cause difficulty breathing or swallowing• signs of worsening heart failure, such as shortness of breath, sometimes with tiredness or weakness, swelling of the feet or legs due to fluid build up• chest tightness, wheezing, rattly breathing• yellowing of the skin or eyes, dark coloured urine, itching, generally feeling unwell• irregular heart beating	Call your doctor straight away, or go straight to the Emergency Department at your nearest hospital if you notice any of these serious side effects.

Tell your doctor or pharmacist if you notice anything else that may be making you feel unwell.

Other side effects not listed here may occur in some people.

Reporting side effects

After you have received medical advice for any side effects you experience, you can report side effects to the Therapeutic Goods Administration online at www.tga.gov.au/reporting-problems. By reporting side effects, you can help provide more information on the safety of this medicine.

Always make sure you speak to your doctor or pharmacist before you decide to stop taking any of your medicines.

✉ ghinfo@generichealth.com.au

☎ +61 3 9809 7900

🌐 www.generichealth.com.au

This leaflet was prepared in November 2024.

7. Product details

This medicine is only available with a doctor's prescription.

What Bisoprolol generichealth contains

Active ingredient (main ingredient)	bisoprolol fumarate
Other ingredients (inactive ingredients)	<ul style="list-style-type: none">• colloidal anhydrous silica• magnesium stearate• crospovidone• maize starch• microcrystalline cellulose• Opadry complete film coating system OY-58900 White• iron oxide yellow (5 mg and 10 mg only)• iron oxide red (10 mg only)

Do not take this medicine if you are allergic to any of these ingredients.

The tablets are gluten free.

What Bisoprolol generichealth looks like

Bisoprolol generichealth 2.5 mg is white coloured, heart-shaped, film-coated tablet, scored on both sides (AUST R 212063).

Bisoprolol generichealth 5 mg is white-yellow coloured, heart-shaped, film-coated tablet, scored on both sides (AUST R 212062).

Bisoprolol generichealth 10 mg is pale orange – light orange coloured, heart-shaped, film-coated tablet, scored on both sides (AUST R 212058).

All packs contain 28 tablets.

Who distributes Bisoprolol generichealth

Generic Health Pty Ltd

Suite 2, Level 2

19-23 Prospect Street

Box Hill, VIC, 3128

Australia